

Fluovac Isoflurane/Halothane Scavenger

Safely Captures and Removes Anesthetic Gases



- Allows for continuous flow of anesthetic gas without exposing researcher to escaped gases
- Gas is recaptured by vacuum and removed via disposable Fluosorber filter canister
- Supplied with a special double rodent mask for working on 1 or 2 animals
- Self-contained, portable unit requires no extra ducting or ventilation
- Masks for guinea pigs, cats and rabbits are available
- Easy to use simply connect to your vaporizer system and insert a Fluosorber canister

The disposable filter (No. 50207, ordered separately) initially weighs 1200gm. It absorbs 200gm of isoflurane or halothane, and must be discarded when it reaches 1400gm in weight. Nitrous oxide is not removed.

The Scavenger is supplied with a double Rat Mask, and a Y piece that divides the gas flow into two 15cm silicone tubes, one of which is fitted with a clamp so that only one mask may be used alone, if so desired. The silicone tubes fit directly onto the tube mounts of the Fluovac T-piece.

Specifications

Dimensions, base unit (W x D x H)

Weight

11in. x 12in. x 7in. (27.5 cm x 30 cm x 18 cm)

32 lbs. (14.5 kg)

Voltage

110V (AC), 60Hz; 240V (AC), 50Hz



東京都台東区台東1丁目 14-11 藤野ビル2F H-Page: http://www.neuro-s.co.jp e-mail: sales@neuro-s.co.jp